



Audipack 900 Series, designed to be noticed

Combining style with strength, the Audipack flat panel floor stands in the 900 series are easy on the eye yet easy to install.

Suitable for flat panels up to 65 inch (depending on type), the 900 series is ideal for all displays from a single panel right through to a sophisticated digital signage system.

Utilising Audipack's many years of experience with display stands and accessories, the 900 series incorporates many clever elements, such as an integrated tape measure, a quickly demountable system and access hatches for cabling, that make these floor stands simple to install.

As with many Audipack stands and brackets, the 900 series is equipped with the Lock & Secure mounting system. This provides for a quick mounting. However, when installed, the flat panel is locked firmly in place for safety and security.

The 900 series comprises a complete range of supports and stands which combine flexibility with precision positioning. Not only are the stands stylish and aesthetic in their appearance, they are also very functional. Other features and benefits of the Audipack 900 series include:

- ▲ Landscape or portrait positioning of the panel
- ▲ Integrated yet easily accessible cable channel
- ▲ Continuous height adjustment
- ▲ Integrated measuring ruler for precise positioning
- ▲ Quick locking system

Customized versions of the 900 series products are available on request



flat panel position ruler



Quick-Release system unlocked



Access hatch for cabling

For more information about the 900 series floor stands: www.audipack.com

Floor stands L&S 3


Ref.	390900	390901	390902	390907	390908
Type	Floor stand	Quick Release floor stand	Quick Release floor stand	Quick Release floor stand	Floor stand
Dimensions in mm	W 900 x D 450 x H 1821	W 900 x D 450 x H 1829	W 900 x D 560 x H 2029		W 900 x D 560 x H 1829
Max. diagonal flat panel	55 inch	55 inch	55 inch	65 inch	65 inch
Nett weight	± 39 Kg	± 45 Kg	± 46 Kg	± 49 Kg	± 42 Kg
Max. load	60 Kg	60 Kg	60 Kg	85 Kg	85 Kg

Notified loads and dimensions are calculated with a flat panel depth of 150 mm.

Floor stands on wheels L&S 3


Ref.	390904	390905	390974	390975
Type	Floor stand on wheels	Quick Release floor stand on wheels	Floor stand on wheels	Quick Release floor stand on wheels
Dimensions in mm	W 900 x D 560 x H 1804	W 900 x D 560 x H 1812	W 900 x D 560 x H 1804	W 900 x D 560 x H 1812
Max. diagonal flat panel	55 inch	55 inch	55 inch	55 inch
Nett weight	± 40 Kg	± 51 Kg	± 45 Kg	± 56 Kg
Max. load	60 Kg	60 Kg	60 Kg	60 Kg

Notified loads and dimensions are calculated with a flat panel depth of 150 mm.

Floor stands L&S5



Ref.	390906
Type	Floor stand
Max. diagonal flat panel	84 inch

Notified loads and dimensions are calculated with a flat panel depth of 150 mm.

Equipment Support


Ref.	390915	390916	390931
Type	Laptop support	Laptop support	Camera support
Max. dimensions equipment in mm	W 300 x D 250	W 450 x D 350	W 250 x D 250
Maximum load	10 Kg	10 Kg	10 Kg

Equipment cabinet


Ref.	390935	390936
Type	Laptop cabinet	Laptop cabinet
Max. dimensions equipment in mm	440 x 380 x 110	440 x 380 x 80
Nett weight	14 Kg	12 Kg
Max. load	10 Kg	10 Kg

Laptop / PC cabinet


Ref.	390937
Type	Laptop / PC cabinet
Max. dimensions equipment in mm	400 x 350 x 55
Nett weight	10 Kg
Max. load	10 Kg

Option



Ref.	390911
Type	L&S 3 Mounting head for 900 series floor stands
Max. diagonal flat panel	55 inch
NOTE: Excluding numeric lock ref. 230052 as depicted	

Option



Ref.	390951
Type	L&S 5 Mounting head with 5 mounting points for 900 series floor stands
Max. load	100 Kg
NOTE: Excluding numeric lock ref. 230052 as depicted	

Option



Ref.	P3496
Type	Flat panel landscape-portrait rotatable adaptor. Manual 90° rotation of the flat panel
Max. load	80 Kg
Colour	black RAL 9005